



Shown with optional spoke guards and large headrest

chunc 45

postural management system



www.chunc.com



- 45⁵⁴ (54kg user), 3 sizes: x-small, small, medium
 - 45⁷⁵ (75kg user), 2 sizes: medium, large
 - 45° posterior tilt, 2° anterior tilt
 - Dismantles to fit into most cars
- Suitable as a forward-facing seat in a motor vehicle
 - Crash tested ISO 7176 (ANSI RESNA) part 19
 - Seat depth growth of 10cm / 4" in each size
 - Optimises posture to enhance user function
 - Adaptive to the growth of occupants
 - Communication aids easily mounted
 - Suitable for indoor and outdoor use

Shown with optional spoke guards and large headrest.
For more images of accessorised products, visit www.chunc.com

The Chunc 45° makes a vital contribution to a 24 hour postural management programme.

The adaptability and versatility of our support options enable therapists to optimally position and support the wheelchair user. This ensures that the most biomechanically efficient

position of the pelvis and spine can be achieved as well as ensuring excellent support to the thighs, feet and head.

Using this highly effective and comfortable postural management system, the child will achieve an improvement in the facilitation of cognitive, communicative and functional

skills. This provides a solid foundation for enhanced participation with friends, carers and parents. Furthermore, it ensures that the child is optimally supported to prevent or reduce deformity, or accommodate deformity and prevent further deterioration.

Support Options

Range of Headrests



Thoracic Supports



Height-adjustable Armrests



Thigh Lateral Supports



Pommel



Calf Pads



Knee Blocks



Muti-plane Armrests



PSIS Insert



Range of Harnesses



Seating Options


- Basic Seat*
- Contour Seat*
- Ischial Seat*
- Basic Backrest*
- Supportive Backrest*
- Enhanced Contour Seat*

Other Options

- Running Disc Brakes*
- Tray*
- Comm. Aid Mount*
- Power Assist*
- Spoke Guards*
- Rain Cover*
- Poncho*
- Growth Kits*

Colour Options

- Red*
- Yellow*
- Grey*
- Pink*
- Blue*




chunc 45

Metric

Imperial

Sizing Guide



cm (inches)

X-SMALL

A 36-44 (14.1-17.3)

B 21-43 (8.2-16.9)

C 20-30 (7.9-11.9)

D 15-26 (5.9-10.2)

SMALL

A 42-52 (16.5-20.4)

B 21-43 (8.2-16.9)

C 25-35 (9.8-13.8)

D 20-31 (7.9-12)

MEDIUM

A 48-60 (18.8-23.6)

B 21-43 (8.2-16.9)

C 30-40 (11.8-15.8)

D 25-36 (9.8-14)

LARGE

A 54-66 (21.2-26)

B 21-48 (8.2-18.8)

C 35-45 (13.8-17.8)

D 30-41 (11.8-16)

Product specification	X-Small 45 54	Small 45 54	Medium 45 54	Medium 45 75	Large 45 75	X-Small 45 54	Small 45 54	Medium 45 54	Medium 45 75	Large 45 75
WEIGHT										
Maximum user weight	54kg	54kg	54kg	75kg	75kg	119lb	119lb	119lb	165lb	165lb
Product weight	23.5kg	23.75kg	24kg	25.5kg	25.75kg	51.7lb	52.25lb	52.8lb	56.1lb	56.6lb
Chassis weight	16.25kg	16.5kg	16.75kg	17.5kg	17.75kg	35.75lb	36.3lb	36.85lb	38.5lb	39lb
DIMENSIONS										
Product height	126	126	126	126	126	49.5	49.5	49.5	49.5	49.5
Dismantled product L, W, H	82,56,54	82,56,54	82,56,54	82,60,54	82,60,54	32,22,21	32,22,21	32,22,21	32,23,5,54	32,23,5,54
Front castor diameter	18	18	18	18	18	7	7	7	7	7
Rear wheel diameter	38	38	38	38	38	15	15	15	15	15
SEATING DIMENSIONS										
Seat cushion depth range	20-30	25-35	30-40	30-40	35-45	7.9-11.9	9.8-13.8	11.8-15.8	11.8-15.8	13.8-17.8
Seat cushion depth growth	10	10	10	10	10	4	4	4	4	4
Seat width range	15-26	20-31	25-36	25-36	30-41	5.9-10.2	7.9-12	9.8-14	9.8-14	11.8-16
Total seat width growth	11	11	11	11	11	4.3	4.3	4.3	4.3	4.3
Back rest height range	36-44	42-52	48-60	48-60	54-66	14.1-17.3	16.5-20.4	18.8-23.6	18.8-23.6	21.2-26
Total back rest height growth	8	10	12	12	12	3.1	4	4.7	4.7	4.7
Back rest width	21	25	29	29	33	8.2	9.8	11.4	11.4	13
Leg rest angle range	80-170°	80-170°	80-170°	80-170°	80-170°	80-170°	80-170°	80-170°	80-170°	80-170°
Leg rest length range	21-43	21-43	21-43	21-48	21-48	8.2-16.9	8.2-16.9	8.2-16.9	8.2-18.8	8.2-18.8
Backrest recline angle range	90-102°	90-102°	90-102°	90-102°	90-102°	90-102°	90-102°	90-102°	90-102°	90-102°
Tilt in space	+2 to -45°	+2 to -45°	+2 to -45°	+2 to -45°	+2 to -45°	+2 to -45°	+2 to -45°	+2 to -45°	+2 to -45°	+2 to -45°
	<i>Dimensions in cm</i>					<i>Dimensions in inches</i>				

HRS document number 1100-03-08

